


## GENERAL INFORMATION


March 1988

CRT 15" A36EAM00X01 90° Flat Sq.  
CRT 17" A41EAM00X01 90° Flat Sq.



## REMOTE CONTROL

12.1.87




1/ Bedienteil ART P17 C8500/87  
Parte servizio  
Control section / sección de manejo  
396-83853 U8211 2611.87

to, su, an Chassis St.21


to, su, an Chassis St.22

to, su, an Chassis St.23

**TELETEXT**



## Videotext-Decoder C 8500 VT II



# MAIN DIAGRAM

**MUTE** Ton-Unterdrückung  
eliminazione audio  
Muting

**PAL** Bildaustattung  
eliminazione video  
video blanking

**HF-Generator**  
HF-generator  
HF-generator

**Spannungsstabilisierg.**  
stabilizzatore tensione  
voltage stabilizer

**Sandcasti-Detektor**  
rivelatore sandcasti  
sandcasti detector

**Ruckschlag-Generat.**  
generatore ritorno  
flyback generator

**FM-Demod./Syn.-Dem.**  
FM dem./syn dem  
FM dem./syn dem

**Blank** Bildaustattung  
eliminazione video  
video blanking

**PAL** PAL-Schalter  
interruptore PAL  
PAL switch

**Sägezahn-Generator**  
generatore a dente  
sawtooth generator

**Rampen-Generator**  
generatore a dente  
ramp generator

**Begrenzer-Verstärker**  
amplificatore limit  
limiter amplifier

**De-modulator**  
demodulatore  
detector

**Phasenvergleich**  
confrotto di fase  
phase discriminator

